

THE VISUAL REVOLUTION STARTS HERE

Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-7666

ULTRA FINE PIXEL PITCH



ASSEMBLY OPTIONS

- Ground Level Support
- Flown Suspension
- On-Wall Mounted

New Bern

THE New Bern
 I-F-P 0.9

- PIXEL PITCH 0.9375 MM
- DIGITAL STATUS DISPLAY MONITOR
- RESOLUTION 1,137,778 pixels/sqm
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE .030'
- CABINET SIZE 23.62" X 13.28"
- CABINET WEIGHT 20.94 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 160° H X 160° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- FRONT SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

PIXEL PITCH P.09

What's Inside:

Splendor. **Kinglight**® **LINKO** **NOVA STAR**

Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



NOVA STAR

NovaPro UHD Jr is an all-in-one controller that features multiple input connectors, supporting up to 8 inputs simultaneously, and multiple output connectors, including 16 Ethernet and 4 optical fiber ports, and 4Kx2K@60Hz ultra high-definition inputs and outputs.




THE VISUAL REVOLUTION STARTS HERE

Splendor.

LED Stage Displays


555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-766

ULTRA FINE PIXEL PITCH



ASSEMBLY OPTIONS

- Ground Level Support
- Flown Suspension
- On-Wall Mounted



Asheville

THE ASHEVILLE I-F-P1.25

- PIXEL PITCH 1.25 MM
- DIGITAL STATUS DISPLAY MONITOR
- RESOLUTION 640,000 pixels/sqm
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 4+
- CABINET SIZE 15.76" X 11.81"
- CABINET WEIGHT 20.94 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 160° H X 160° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- FRONT SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

PIXEL PITCH P1.25

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



NovaPro UHD Jr is an all-in-one controller that features multiple input connectors, supporting up to 8 inputs simultaneously, and multiple output connectors, including 16 Ethernet and 4 optical fiber ports, and 4Kx2K@60Hz ultra high-definition inputs and outputs.



THE VISUAL REVOLUTION STARTS HERE

Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-766

ULTRA FINE PIXEL PITCH

Beaufort

PIXEL PITCH P1.56



- ASSEMBLY OPTIONS
- Ground Level Support
 - Flown Suspension
 - On-Wall Mounted

THE BEAUFORT I-F-P1.56

- PIXEL PITCH 1.56 MM
- RESOLUTION 409,600 pixels/sqm
- CONTRAST RATIO 4000:1
- BRIGHTNESS >1000cd/sqm
- LAMP TYPE SMD1010 / SMD 3in1
- RED WAVELENGTH 620-625nm
- GREEN WAVELENGTH 521.5-526.2nm
- BLUE WAVELENGTH 466.5-471.5nm
- OPTIMUM VIEWING DISTANCE 5'+
- CABINET SIZE 15.7" X 11.8"
- CABINET WEIGHT 10.14 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 160° H X 160° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- SWITCHABLE INPUT VOLTAGE AC220V/50Hz or AC110V / 60Hz
- FRONT SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



NovaPro UHD Jr is an all-in-one controller that features multiple input connectors, supporting up to 8 inputs simultaneously, and multiple output connectors, including 16 Ethernet and 4 optical fiber ports, and 4Kx2K@60Hz ultra high-definition inputs and outputs.



THE VISUAL REVOLUTION STARTS HERE


Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-766

ULTRA FINE PIXEL PITCH

Extremely High Resolution



Airflow Control
No Fans



Fly or Ground Support



- ASSEMBLY OPTIONS
- Ground Level Support
 - Flown Suspension
 - On-Wall Mounted



THE CARY I-F-P1.875

- PIXEL PITCH 1.875 MM
- RESOLUTION 284,444 pixels/sqm
- CONTRAST RATIO 4000:1
- BRIGHTNESS >1000cd/sqm
- LAMP TYPE SMD1415 / SMD 3in1
- RED WAVELENGTH 620-625nm
- GREEN WAVELENGTH 521.5-526.5nm
- BLUE WAVELENGTH 466.5-471.5nm
- OPTIMUM VIEWING DISTANCE 5'+
- CABINET SIZE 18.89" X 18.89"
- CABINET WEIGHT 14.77 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 160° H X 160° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- SWITCHABLE INPUT VOLTAGE
AC220V/50Hz or AC110V / 60Hz
- FRONT SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

PIXEL PITCH P1.875

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



NovaPro UHD Jr is an all-in-one controller that features multiple input connectors, supporting up to 8 inputs simultaneously, and multiple output connectors, including 16 Ethernet and 4 optical fiber ports, and 4Kx2K@60Hz ultra high-definition inputs and outputs.




THE VISUAL REVOLUTION STARTS HERE

Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-766

ULTRA FINE PIXEL PITCH



- ASSEMBLY OPTIONS
- Ground Level Support
 - Flown Suspension
 - On-Wall Mounted

Extremely High Resolution



Die-Cast Aluminum Construction

Wilmington

THE WILMINGTON I-F-P2.5

- PIXEL PITCH 2.5 MM
- RESOLUTION 160,000 pixels/sqm
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 8'+
- CABINET SIZE 18.89" X 18.89"
- CABINET WEIGHT 20.94 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 160° H X 160° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- FRONT SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

PIXEL PITCH P2.5

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



NovaPro UHD Jr is an all-in-one controller that features multiple input connectors, supporting up to 8 inputs simultaneously, and multiple output connectors, including 16 Ethernet and 4 optical fiber ports, and 4Kx2K@60Hz ultra high-definition inputs and outputs.



THE VISUAL REVOLUTION STARTS HERE


Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-7666

1000mm & 500mm
 HEIGHTS AVAILABLE

FINE PIXEL PITCH



Die-Cast Aluminum Construction

Boone

THE BOONE
 I-F-P2.976

- PIXEL PITCH 2.976MM
- RESOLUTION 112,896 PIXELS/SQM
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 10'
- CABINET SIZE 19.7" X 19.7"
- CABINET WEIGHT 19.84 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 140° H X 140° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- REAR SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

PIXEL PITCH P2.976

What's Inside:



Quality You Can Count On



The VX Series is an LED Display Screen video controller that integrates sending card functions with video processing. Designed with powerful video processing capability, it supports an array of high-resolution video inputs and Gigabit Ethernet outputs. Based on the powerful FPGA processing platform, the VX Series supports multiple switching effects, such as quick seamless switching and fade, providing flexible screen control experience and outstanding video presentations.



THE VISUAL REVOLUTION STARTS HERE



Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-7666

1000mm & 500mm
 HEIGHTS AVAILABLE

FINE PIXEL PITCH



- ASSEMBLY OPTIONS
- Ground Level Support
 - Flown Suspension
 - On-Wall Mounted

Durham

THE DURHAM
 I-F-P3.91 500/1000

- PIXEL PITCH 3.91MM
- RESOLUTION 65,536 PIXELS/SQM
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 13.5'
- CABINET SIZE Model 500 19.7" X 19.7"
- CABINET SIZE Model 1000 19.7" X 39.4"
- CABINET WEIGHT Model 500 14.66 LBS
- CABINET WEIGHT Model 1000 26.45 LBS
- ULTRA HIGH REFRESH RATE >3840 HZ
- 140° H X 140° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- REAR SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

PIXEL PITCH P3.91

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



The VX Series is an LED Display Screen video controller that integrates sending card functions with video processing. Designed with powerful video processing capability, it supports an array of high-resolution video inputs and Gigabit Ethernet outputs. Based on the powerful FPGA processing platform, the VX Series supports multiple switching effects, such as quick seamless switching and fade, providing flexible screen control experience and outstanding video presentations.



THE VISUAL REVOLUTION STARTS HERE

Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-766

1000mm & 500mm
 HEIGHTS AVAILABLE

PIXEL PITCH P3.91

FINE PIXEL PITCH CURVED



Greensboro

Curved Greensboro
 I-CUR-F-P3.91-500/15d

- PIXEL PITCH 3.91MM
- RESOLUTION 65,536 PIXELS/SQM
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 13.5'
- CABINET SIZE 19.7" x 19.7"
- CABINET WEIGHT 13.25
- ULTRA HIGH REFRESH RATE >3840 HZ
- 140° H X 140° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT



Greensboro

Curved Greensboro
 I-CUR-F-P3.91-500/90d

- PIXEL PITCH 3.91MM
- RESOLUTION 65,536 PIXELS/SQM
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 13.5'
- CABINET SIZE 19.7" x 19.7"
- CABINET WEIGHT 13.25
- ULTRA HIGH REFRESH RATE >3840 HZ
- 140° H X 140° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- REAR SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



The VX Series is an LED Display Screen video controller that integrates sending card functions with video processing. Designed with powerful video processing capability, it supports an array of high-resolution video inputs and Gigabit Ethernet outputs. Based on the powerful FPGA processing platform, the VX Series supports multiple switching effects, such as quick seamless switching and fade, providing flexible screen control experience and outstanding video presentations.



THE VISUAL REVOLUTION STARTS HERE

Splendor.

LED Stage Displays

555 Fayetteville Street, Suite 201 Raleigh, North Carolina 27601
 Phone: 919-263-7660 Fax: 919-263-766

1000mm & 500mm
 HEIGHTS AVAILABLE

PIXEL PITCH P3.91

FINE PIXEL PITCH CURVED



Greensboro

Curved Greensboro
 I-CUR-F-P3.91-500/15d

- PIXEL PITCH 3.91MM
- RESOLUTION 65,536 PIXELS/SQM
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 13.5'
- CABINET SIZE 19.7" x 19.7"
- CABINET WEIGHT 13.25
- ULTRA HIGH REFRESH RATE >3840 HZ
- 140° H X 140° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT



Greensboro

Curved Greensboro
 I-CUR-F-P3.91-500/90d

- PIXEL PITCH 3.91MM
- RESOLUTION 65,536 PIXELS/SQM
- CONTRAST RATIO 5000:1
- OPTIMUM VIEWING DISTANCE 13.5'
- CABINET SIZE 19.7" x 19.7"
- CABINET WEIGHT 13.25
- ULTRA HIGH REFRESH RATE >3840 HZ
- 140° H X 140° V VIEWING ANGLE
- BRIGHTNESS UNIFORMITY >97%
- UPDATED AESTHETIC
- SMOOTH MODERN MOLDING
- DIE-CAST ALUMINUM ALLOY CHASIS
- CABINET FLATNESS <0.5MM
- REAR SERVICEABLE
- 3 YEAR WARRANTY
- UNMATCHED SERVICE & SUPPORT

What's Inside:



Quality You Can Count On



Aluminum Die-Cast Panels



Kinglight LED Bulbs SMD 2121



CN Linko Color Coded PowerCon



Novastar Processor, Sending & Receiving Cards



The VX Series is an LED Display Screen video controller that integrates sending card functions with video processing. Designed with powerful video processing capability, it supports an array of high-resolution video inputs and Gigabit Ethernet outputs. Based on the powerful FPGA processing platform, the VX Series supports multiple switching effects, such as quick seamless switching and fade, providing flexible screen control experience and outstanding video presentations.